

polytec

ULTRAGLAZE mirror gloss doors & panels



ISSUE: 02

polytec offer an express sample service.

Visit www.polytec.com.au to order your free sample.

polytec

www.polytec.com.au

p 1300 300 547

Create your look



ULTRAGLAZE

Inspired by top design houses, **polytec's ULTRAGLAZE** mirror gloss doors & panels offer interior designers and architects a new dimension in creating kitchens and rooms of breathtaking beauty. The lustrous mirror-like ultra high gloss finish captures the light and surrounding reflections.

Introducing ultra high gloss finishes into your décor is the perfect way to add visual interest to a pared-back neutral palette. Couple **ULTRAGLAZE** alongside **LEGATO** super matt to create the perfect balance of contrast, highlighting your **ULTRAGLAZE** as a main feature. Alternatively match **ULTRAGLAZE** with **RAVINE** embossed wood grain to add warmth and soften a sleek shiny scheme.

ULTRAGLAZE provides contemporary lines that are enhanced when combined with the sleek Shadowline door, matching gloss or the contrasting glass bead edge finish. With an unsurpassed gloss level, the result is stunning to say the least.




Doors and panels in **ULTRAGLAZE** Superior White.
Bar panels in **MELAMINE** Shannon Oak Matt.



ULTRAGLAZE solid range



ULTRAGLAZE metallic range



ULTRAGLAZE edge and handle options



Shadowline Door

Designed for a sleek, modern and minimalistic look creating clean flowing lines.

Note: Shadowline Door profile is not available in Superior White.



1mm Matching Edge

For a seamless matching edge finish, available in Laser edge and ABS.



1mm Glass Bead Edge

To enhance the high gloss and stainless steel look, designed to create a visual impression of glass doors.



GREEN

polytec is committed to an eco-friendly and sustainable environment. It is an intrinsic part of the way we do business daily. Our decisions are made so that they have minimum negative impact on the environment.

Our product is manufactured from managed and renewable plantation pine and is Australian Forestry Standard chain of custody certified. All polytec products are manufactured from EO CUSTOMwood MDF.

We manage waste responsibly through numerous recycling programs including aluminium and metals, used oils and timber waste is recycled back into energy. We subscribe to local government environmental initiatives and voluntary audits as well as our own internal Energy and Carbon Management Policy (ECM), which aligns with the Australian Government's Energy Efficiency Opportunities (EEO) program.

polytec doors and benchtops are Australian Made & Owned.

CARE

Please ensure you were supplied with a complimentary cleaning kit. This kit contains a microfibre cleaning cloth, and a bottle of VuPlex non-abrasive cleaner.

Your ULTRAGLAZE doors and panels come with a protective film. Do not remove the film until all trade work has been completed. Once this film is removed it will initiate the curing process. It takes approximately 72 hours for the surface to be completely cured. For this reason, we recommend that upon removal of the protective film, lightly spray your doors with VuPlex. Then using the microfibre cloth, wipe the surface using a light circular motion. This will remove any residue left from the protective film, and also help the curing process. For the first 72 hours do not clean the surface after the initial cleaning.

ULTRAGLAZE doors and panels are made from a Moisture Resistant Medium Density Fibreboard (MR MDF), but as with many wood based panels, they are not waterproof. Care should be taken to wipe up spills immediately, ensuring the doors and panels are not exposed to high or continuous levels of moisture, steam and humidity.

To clean the ULTRAGLAZE surface, we recommend you continue to use VuPlex. You can only clean ULTRAGLAZE with a microfibre glass anti-scratch cloth. Use it by spraying over the surface lightly, and then wiping in a light circular motion with the microfibre cloth. **Never** use any cleaning product which are, or contain: alcohol; solvents; abrasives; acetone; paraffin; petrol; pinewood or oils; glass cleaner. These chemicals will damage the ULTRAGLAZE acrylic surface.

Only use VuPlex plastic cleaner in accordance with the manufacturers specifications. Only use a microfibre glass anti-scratch cloth when cleaning ULTRAGLAZE doors and panels.

By following these simple steps you should retain a beautiful kitchen surface for many years.

OUTSIDE COVER: Doors and panels in **ULTRAGLAZE Superior White**.

Bar panels in **MELAMINE Shannon Oak Matt**.

INSIDE COVER: Doors and drawers in **ULTRAGLAZE Superior White**.

Visit www.polytec.com.au for specific care and cleaning information. Darker colours will show superficial wear and tear more readily than lighter coloured surfaces and require more care and maintenance.

The colours and details shown in this brochure are to the highest standards in printing. However, they should only be used as an indication of actual product colour. To order your free colour sample visit www.polytec.com.au. polytec swatches and samples represent a small area of the overall colour structure, to view the large colour sample, visit www.polytec.com.au

The use of our current colour samples gives the colour and finish that a customer would expect to receive. polytec does not guarantee exact colour matches across product ranges due to colour variation in each product group.